COVERAGE NAME: HARDWDA

COVERAGE AREA: STATEWIDE

COVERAGE DESCRIPTION:

The 'HARDWOODS' layer represents the distribution of five hardwood cover types to establish quantitative, baseline information concerning California's hardwood resources. The cover types represented are: 1) blue oak woodland, 2) blue oak/foothill pine woodland, 3) valley oak woodland, 4) coastal oak woodland, and 5) montane hardwood mix. In addition, "potential" hardwoods have been mapped as well (see following discussion).

This dataset was developed by the California Department of Forestry and Fire Protection, Fire and Resource Assessment Program (CDF-FRAP), through contract with Pacific Meridian Resources (PMR). It represents an update of a previous dataset developed by CDF-FRAP through contract with The Natural Resources Management Department at California Polytechnic State University, San Luis Obispo (Norm Pillsbury). The first dataset was developed through air photo interpretation and has a minimum mapping unit of 40 acres. The second dataset has retained the same polygons, but contains labels updated through image processing-based classification routines. In addition to updated labels, PMR generated polygons outside the original polygons that were labelled as "potential" hardwoods. Updates were not completed for the South Coast Ecological Region.

A raster-based (GRID) dataset is available as well. While it can be considered a by product of the classfication routines that were used to generate new labels for the polygon coverage, many users have found the raster dataset to be more useful as it is more accurate, and has a much smaller minimum mapping unit (25 meter pixels, or about .15 acres).

The details of both of these datasets are described in the final report, "California Hardwood Rangeland Monitoring, Final Report" (Pacific Meridian Resources, 1994), available from CDF.

VITAL STATISTICS:

Datum: NAD 83
Projection: Albers
Units: Meters

 1st Std. Parallel:
 34 00 00 (34.0 degrees N)

 2nd Std. Parallel:
 40 30 00 (40.5 degrees N)

 Longitude of Origin:
 -120 00 00 (120.0 degrees W)

Latitude of Origin: 00 00 00 (0.0 degrees)

False Easting (X shift): 0

False Northing (Y shift): -4,000,000

Source: Pacific Meridian Resources, 1994
Source Media: Aerial photos, Thematic Mapper

Imagery

Source Projection: N/A Source Units: N/A

Source Scale: 1:24,000, 1:58,000 Capture Method: Hand digitizing

Image Processing-based

classification

Conversion Software: ARC/INFO rev. 6.1

Data Structure: Vector
ARC/INFO Coverage Type: Polygon
ARC/INFO Precision: Double
ARC/INFO Tolerances: 2 meters

Number of Features: 6,682 polygons

Layer Size: 7.5 Mb
Data Updated: 1994

DATA DICTIONARY:

DATAFILE NAME: HARDWDA.PAT

RECORD LENGTH: 57

COLU	MN ITEM NAME	WIDTH	OUTP	JT	TYPE	N.DEC	
1	AREA		8	18	 F	5	
9	PERIMETER		8	18	F	5	
17	HARDWDA#		4	5	В	-	
21	HARDWDA-ID		4	5	В	_	
25	HWPOLYS-ID		4	5	В	_	
29	REGION_NUMBER		1	1	I	_	
30	COV_TYP		10	10	С	_	
40	PILS_CC		6	6	С	_	
46	WHR_CC		6	6	С	_	
52	SIZE		6	6	С	_	

AREA : The area of the polygon in square coverage units.

PERIMETER: The length of the polygon perimeter of the polygon

in coverage units.

HARDWDA# : The software-assigned unique integer identification

number.

HARDWDA-ID : A user-assigned identification number.

HWPOLYS-ID: Relate item back to Pillsbury polygon coverage.

REGION_NUMBER: Ecological analysis regions.

1 Central Coast

- 3 San Joaquin/East Side Sierra
- 4 Sacramento/North Interior
- 5 Central Sierra
- 6 North Coast

COV_TYP: Cover type.

BOW: Blue Oak Woodland

BODP: Blue Oak \ Foothill Pine

VOW: Valley Oak Woodland COW: Coastal Oak Woodland MH: Montane Hardwoods

OTHER: Non-Hardwood

NODATA: No data for sliver polygon

POTENTIAL: Vegetation classified as hardwood outside the

Pillsbury hardwood polygons

PILS_CC: Crown closure codes for the Pillsbury classification scheme.

```
1 <10%
2 10-33%
3 34-75%
4 76-100%
5 OTHER
NODATA
```

WHR_CC: Crown closure codes for the WHR classification scheme.

```
1 10-24%
2 25-39%
3 40-59%
4 60-100%
5 OTHER
```

SIZE: Size labels for hardwoods polygons.

NODATA

DATA QUALITY ASSESSMENT:

The following are subjective comments regarding this data.

Many users have found this dataset to be too generalized due to the size of the polygons (40 acre minimum mapping unit). The raster-based dataset used to label these polygons has been more popular when accuracy rather than small-scale mapping is important.